



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-000016-LIC




**LL Uranium Drank MT4731**

Sample ID: 2304LLI0601.1812  
Strain: LL Uranium Drank MT4731  
Matrix: Concentrates & Extracts  
Type: Full Extract Cannabis Oil  
Sample Size: ; Batch:

Produced:  
Collected: 04/05/2023  
Received: 04/05/2023  
Completed: 04/06/2023  
Batch#:

Client  
**Steven / Daniel (QC/QA)**  
Lic. #  
West 15th Street  
Long Beach, CA 90813



**Summary**

Test	Date Tested	Result
Batch		Pass
Cannabinoids	04/06/2023	Pass
Residual Solvents	04/06/2023	Pass
Microbials	04/06/2023	Pass
Mycotoxins	04/06/2023	Pass
Pesticides	04/06/2023	Pass
Heavy Metals	04/06/2023	Pass
Foreign Matter	04/05/2023	Pass

**Cannabinoids**

Pass

<b>56.294%</b>	<b>ND</b>	<b>62.461%</b>	<b>63.908%</b>
Total THC	Total CBD	Total Cannabinoids (Neutral)	Sum of Cannabinoids

Analyte	LOQ	LOD	Results	Results
	mg/g	mg/g	%	mg/g
THCa	0.000319	0.000100	9.477	94.77
Δ9-THC	0.000332	0.000104	47.983	479.83
Δ8-THC	0.000365	0.000115	ND	ND
THCV	0.000724	0.000228	0.551	5.51
CBDa	0.000083	0.000026	ND	ND
CBD	0.000974	0.000228	ND	ND
CBDVa	0.000262	0.000082	ND	ND
CBDV	0.000432	0.000136	ND	ND
CBN	0.000303	0.000095	0.205	2.05
CBGa	0.000273	0.000086	2.291	22.91
CBG	0.000442	0.000139	2.179	21.79
CBC	0.000089	0.000028	1.223	12.23
<b>Total THC</b>			<b>56.294</b>	<b>562.942</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>62.461</b>	<b>624.605</b>

Date Tested: 04/06/2023

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) \* 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001, SOP-001-1. Instrument: HPLC-PDA.



*Autumn Anderson*

Autumn Anderson - Quality Manager  
04/06/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-0000016-LIC



**LL Uranium Drank MT4731**

Sample ID: 2304LLI0601.1812  
Strain: LL Uranium Drank MT4731  
Matrix: Concentrates & Extracts  
Type: Full Extract Cannabis Oil  
Sample Size: ; Batch:

Produced:  
Collected: 04/05/2023  
Received: 04/05/2023  
Completed: 04/06/2023  
Batch#:

Client  
Steven / Daniel (QC/QA)  
Lic. #  
West 15th Street  
Long Beach, CA 90813

**Pesticides**

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.02	0.0608	0.1	ND	Pass	Fludioxonil	0.0063	0.0191	0.1	ND	Pass
Acephate	0.0032	0.0096	0.1	ND	Pass	Hexythiazox	0.0051	0.0155	0.1	ND	Pass
Acequinocyl	0.0048	0.0144	0.1	ND	Pass	Imazalil	0.0052	0.0156	0.0052	ND	Pass
Acetamiprid	0.0042	0.0127	0.1	ND	Pass	Imidacloprid	0.0053	0.016	5	ND	Pass
Aldicarb	0.0077	0.0232	0.0077	ND	Pass	Kresoxim Methyl	0.0035	0.0106	0.1	ND	Pass
Azoxystrobin	0.0038	0.0114	0.1	ND	Pass	Malathion	0.0053	0.0161	0.5	0.019	Pass
Bifenazate	0.0056	0.017	0.1	ND	Pass	Metalaxyl	0.0045	0.0137	2	ND	Pass
Bifenthrin	0.0045	0.0136	3	ND	Pass	Methiocarb	0.0049	0.0148	0.0049	ND	Pass
Boscalid	0.0066	0.0199	0.1	ND	Pass	Methomyl	0.0048	0.0145	1	ND	Pass
Captan	0.0235	0.0712	0.7	ND	Pass	Mevinphos	0.0039	0.0118	0.0039	ND	Pass
Carbaryl	0.0042	0.0127	0.5	ND	Pass	Myclobutanil	0.006	0.0182	0.1	ND	Pass
Carbofuran	0.0051	0.0155	0.0051	ND	Pass	Naled	0.0021	0.0064	0.1	ND	Pass
Chlorantraniliprole	0.0062	0.0188	10	ND	Pass	Oxamyl	0.0069	0.0209	0.5	ND	Pass
Chlordane	0.0204	0.0619	0.0204	ND	Pass	Pacllobutrazol	0.0059	0.0179	0.0059	ND	Pass
Chlorfenapyr	0.0217	0.0657	0.0217	ND	Pass	Methyl Parathion	0.0168	0.051	0.0168	ND	Pass
Chlorpyrifos	0.01	0.0303	0.01	ND	Pass	Pentachloronitrobenzene	0.0055	0.0168	0.1	ND	Pass
Clofentezine	0.0036	0.011	0.1	ND	Pass	Permethrin	0.0063	0.019	0.5	ND	Pass
Coumaphos	0.0068	0.0205	0.0068	ND	Pass	Phosmet	0.0043	0.0131	0.1	ND	Pass
Cyfluthrin	0.0217	0.0657	2	ND	Pass	Piperonyl Butoxide	0.006	0.0181	3	ND	Pass
Cypermethrin	0.0066	0.0199	1	ND	Pass	Prallethrin	0.0046	0.0139	0.1	ND	Pass
Daminozide	0.0058	0.0176	0.0058	ND	Pass	Propiconazole	0.0085	0.0258	0.1	ND	Pass
Diazinon	0.0074	0.0224	0.1	ND	Pass	Propoxur	0.0068	0.0206	0.0068	ND	Pass
Dichlorvos	0.0041	0.0123	0.0041	ND	Pass	Pyrethrins	0.0041	0.0125	0.5	ND	Pass
Dimethoate	0.0036	0.0108	0.0036	ND	Pass	Pyridaben	0.0061	0.0186	0.1	ND	Pass
Dimethomorph	0.0072	0.0217	2	ND	Pass	Spinetoram	0.005	0.015	0.1	ND	Pass
Ethoprophos	0.0041	0.0123	0.0041	ND	Pass	Spinosad	0.0052	0.0157	0.1	ND	Pass
Etofenprox	0.0044	0.0133	0.0044	ND	Pass	Spiromesifen	0.0061	0.0184	0.1	ND	Pass
Etoxazole	0.0055	0.0167	0.1	ND	Pass	Spirotetramat	0.0042	0.0127	0.1	ND	Pass
Fenhexamid	0.0049	0.0147	0.1	ND	Pass	Spiroxamine	0.0048	0.0145	0.0048	ND	Pass
Fenoxycarb	0.0047	0.0142	0.0047	ND	Pass	Tebuconazole	0.006	0.0182	0.1	ND	Pass
Fenpyroximate	0.0055	0.0168	0.1	ND	Pass	Thiacloprid	0.0056	0.0169	0.0056	ND	Pass
Fipronil	0.0075	0.0227	0.0075	ND	Pass	Thiamethoxam	0.0047	0.0142	5	ND	Pass
Fonicamid	0.004	0.0122	0.1	ND	Pass	Trifloxystrobin	0.0023	0.007	0.1	ND	Pass

Date Tested: 04/06/2023

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.

Instrument: LC-MSMS.



*Autumn Anderson*

Autumn Anderson - Quality Manager  
04/06/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
<http://www.landaulabs.com>  
Lic# C8-000016-LIC



## LL Uranium Drank MT4731

Sample ID: 2304LLI0601.1812  
Strain: LL Uranium Drank MT4731  
Matrix: Concentrates & Extracts  
Type: Full Extract Cannabis Oil  
Sample Size: ; Batch:

Produced:  
Collected: 04/05/2023  
Received: 04/05/2023  
Completed: 04/06/2023  
Batch#:

Client  
**Steven / Daniel (QC/QA)**  
Lic. #  
West 15th Street  
Long Beach, CA 90813

### Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.2	0.5	1	ND	Pass
Acetone	25.7	81.6	5000	328.47	Pass
Acetonitrile	3.5	11.2	410	ND	Pass
Benzene	0.03	0.1	1	ND	Pass
Butane	1.6	5.1	5000	144.16	Pass
Chloroform	0.1	0.2	1	ND	Pass
Ethanol	1.6	5.1	5000	246.33	Pass
Ethyl-Acetate	1.7	5.6	5000	33.18	Pass
Ethyl-Ether	1.7	5.4	5000	ND	Pass
Ethylene Oxide	0.1	0.4	1	ND	Pass
Heptane	2.2	7.1	5000	ND	Pass
Isopropanol	4.4	14	5000	ND	Pass
Methanol	4.3	13.6	3000	ND	Pass
Methylene-Chloride	0.2	0.6	1	ND	Pass
n-Hexane	0.1	0.4	290	ND	Pass
Pentane	5.4	17.2	5000	ND	Pass
Propane	8.7	27.6	5000	ND	Pass
Toluene	1.1	3.4	890	ND	Pass
Trichloroethylene	0.04	0.1	1	ND	Pass
m+p Xylene	4.9	15.7			
o-Xylene	1.4	4.4			
Total Xylenes			2170	ND	Pass

Date Tested: 04/06/2023

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004

Instrument: HS-GC/MS



*Autumn Anderson*

Autumn Anderson - Quality Manager  
04/06/2023

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-000016-LIC



## LL Uranium Drank MT4731

Sample ID: 2304LLI0601.1812  
Strain: LL Uranium Drank MT4731  
Matrix: Concentrates & Extracts  
Type: Full Extract Cannabis Oil  
Sample Size: ; Batch:

Produced:  
Collected: 04/05/2023  
Received: 04/05/2023  
Completed: 04/06/2023  
Batch#:

Client  
Steven / Daniel (QC/QA)  
Lic. #  
West 15th Street  
Long Beach, CA 90813

### Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 04/06/2023

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

### Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.5	4.7		ND	Tested
Aflatoxin B2	1.4	4.3		ND	Tested
Aflatoxin G1	1	3		ND	Tested
Aflatoxin G2	1.3	3.9		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	2.6	8	20	ND	Pass

Date Tested: 04/06/2023

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

### Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.008	0.026	0.2	ND	Pass
Cadmium	0.002	0.008	0.2	0.0225	Pass
Lead	0.004	0.012	0.5	0.0294	Pass
Mercury	0.001	0.002	0.1	ND	Pass

Date Tested: 04/06/2023

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



*Autumn Anderson*

Autumn Anderson - Quality Manager  
04/06/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.