


CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: MAY 21, 2023

SAMPLE: ALIEN BURGER MT4954 (EXTRACT) // CLIENT: ABSTRAX LABS LONG BEACH // BATCH: PASS



BATCH NO.: NAN
 MATRIX: EXTRACT
 CATEGORY: INHALABLE
 SAMPLE ID: BCL-230517-014
 COLLECTED ON: MAY 17, 2023
 RECEIVED ON: MAY 17, 2023
 SAMPLE SIZE: 8 UNITS

CANNABINOID OVERVIEW

TOTAL THC:	42.59515 %
TOTAL CBD:	0.34592 %
SUM OF CANNABINOIDS:	58.13292 %



BCL-03: CANNABINOID POTENCY BY HPLC-UV // MAY 19, 2023

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.54335 %	5.4335 mg/g	0.02183/0.49603	N/A
CBCA	1.92857 %	19.2857 mg/g	0.0625/0.49603	N/A
CBD	< LOQ	< LOQ	0.03075/0.49603	N/A
CBDA	0.39444 %	3.9444 mg/g	0.01587/0.49603	N/A
CBDV	ND	ND	0.02381/0.49603	N/A
CBDVA	ND	ND	0.01587/0.49603	N/A
CBG	1.17480 %	11.7480 mg/g	0.02877/0.49603	N/A
CBGA	7.43274 %	74.3274 mg/g	0.01984/0.49603	N/A
CBN	< LOQ	< LOQ	0.01587/0.49603	N/A
Δ ⁸ -THC	ND	ND	0.05754/0.49603	N/A
Δ ⁹ -THC	17.17103 %	171.7103 mg/g	0.04167/0.49603	N/A
THCA	28.98988 %	289.8988 mg/g	0.02976/0.49603	N/A
THCV	0.13214 %	1.3214 mg/g	0.03274/0.49603	N/A
THCVA	0.36597 %	3.6597 mg/g	0.02282/0.49603	N/A
TOT THC**	42.59515 %	425.9515 mg/g		N/A
TOT CBD**	0.34592 %	3.4592 mg/g		N/A

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ()	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHENE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ ³ -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE*	NT	NT		N/A
β-OCIMENE*	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAJOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE*	NT	NT		N/A

* BEYOND SCOPE OF ACCREDITATION



SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. ALL DECISION RULES ARE ESTABLISHED BY THE DCC.

RESULTS CERTIFIED BY: DZOANA KLISARA, B.SC.
 LABORATORY DIRECTOR, BELCOSTA LABS
 MAY 21, 2023

Dzoana Klisara

BCL-13: PESTICIDE TESTING BY GC/MS // MAY 19, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.03134/0.09492	PASS
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.01108/0.0336	N/A
CHLORDANE TRANS		ND	0.01061/0.03206	N/A
CHLORFENAPYR	Any amt	ND	0.02389/0.07233	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORPYRIFOS	Any amt	ND	0.01114/0.03384	PASS
DICHLORVOS	Any amt	ND	0.01174/0.03557	PASS
METHYL PARATHION	Any amt	ND	0.01347/0.04081	PASS
PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.014/0.04248	PASS

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // MAY 21, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0244/0.07393	PASS
ACEPHATE	0.1 µg/g	ND	0.01224/0.0371	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.01993/0.06038	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0043/0.01302	PASS
ALDICARB	Any amt	ND	0.01219/0.03693	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00771/0.02337	PASS
BIFENAZATE	0.1 µg/g	ND	0.00373/0.01131	PASS
BIFENTHRIN	3 µg/g	ND	0.01267/0.03839	PASS
BOSCALID	0.1 µg/g	ND	0.01406/0.04261	PASS
CARBARYL	0.5 µg/g	ND	0.00615/0.01865	PASS
CARBOFURAN	Any amt	ND	0.00411/0.01246	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.01069/0.0324	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.01404/0.04256	PASS
COUMAPHOS	Any amt	ND	0.01952/0.05914	PASS
CYFLUTHRIN	2 µg/g	ND	0.1511/0.45788	PASS
CYPERMETHRIN	1 µg/g	ND	0.02284/0.06921	PASS
DAMINOZIDE	Any amt	ND	0.0237/0.07182	PASS
DIAZINON	0.1 µg/g	ND	0.0027/0.00818	PASS
DIMETHOATE	Any amt	ND	0.00353/0.01069	PASS
DIMETHOMORPH	2 µg/g	ND		PASS
DIMETHOMORPH I		ND	0.00554/0.01679	N/A
DIMETHOMORPH II		ND	0.00327/0.00992	N/A
ETHOPROPHOS	Any amt	ND	0.00632/0.01914	PASS
ETOFENPROX	Any amt	ND	0.00604/0.01831	PASS
ETOXAZOLE	0.1 µg/g	ND	0.00363/0.01099	PASS
FENHEXAMID	0.1 µg/g	ND	0.01344/0.04073	PASS
FENOXYCARB	Any amt	ND	0.0047/0.01423	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.00277/0.0084	PASS
FIPRONIL	Any amt	ND	0.00678/0.02054	PASS
FLONICAMID	0.1 µg/g	ND	0.0046/0.01393	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.03245/0.09834	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00409/0.01238	PASS
IMAZALIL	Any amt	ND	0.012/0.03637	PASS
IMIDACLOPRID	5 µg/g	ND	0.00796/0.02411	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00989/0.02997	PASS
MALATHION	0.5 µg/g	0.1172	0.00701/0.02124	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
METALAXYL	2 µg/g	ND	0.0058/0.01757	PASS
METHIOCARB	Any amt	ND	0.00885/0.02681	PASS
METHOMYL	1 µg/g	ND	0.00837/0.02537	PASS
MEVINPHOS	Any amt	ND		PASS
MEVINPHOS I		ND	0.001/0.00303	N/A
MEVINPHOS II		ND	0.00529/0.01603	N/A
MYCLOBUTANIL	0.1 µg/g	ND	0.01719/0.0521	PASS
NALED	0.1 µg/g	ND	0.01059/0.0321	PASS
OXAMYL	0.5 µg/g	ND	0.00617/0.01869	PASS
PACLOBUTRAZOL	Any amt	ND	0.01076/0.03262	PASS
PERMETHRIN	0.5 µg/g	ND		PASS
PERMETHRIN CIS		ND	0.00993/0.03008	N/A
PERMETHRIN TRANS		ND	0.01265/0.03833	N/A
PHOSMET	0.1 µg/g	ND	0.00601/0.01822	PASS
PIPERONYLBUTO-XIDE	3 µg/g	ND	0.00261/0.00791	PASS
PRALLETHRIN	0.1 µg/g	ND	0.00989/0.02996	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.00577/0.01747	PASS
PROPOXUR	Any amt	ND	0.00593/0.01798	PASS
PYRETHRINS	0.5 µg/g	ND		PASS
PYRETHRINS PYRETHRIN I		ND	0.00435/0.01318	N/A
PYRETHRINS PYRETHRIN II		ND	0.00386/0.01169	N/A
PYRIDABEN	0.1 µg/g	ND	0.00388/0.01176	PASS
SPINETORAM	0.1 µg/g	ND		PASS
SPINETORAM J		ND	0.00694/0.02103	N/A
SPINETORAM L		ND	0.00902/0.02734	N/A
SPINOSAD	0.1 µg/g	ND		PASS
SPINOSAD A		ND	0.00799/0.02422	N/A
SPINOSAD D		ND	0.00275/0.00834	N/A
SPIROMESIFEN	0.1 µg/g	ND	0.00693/0.021	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.00537/0.01627	PASS
SPIROXAMINE	Any amt	ND	0.00549/0.01663	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.00874/0.02647	PASS
THIACLOPRID	Any amt	ND	0.00458/0.01389	PASS
THIAMETHOXAM	5 µg/g	ND	0.00395/0.01196	PASS
TRIFLOXYSTROB-IN	0.1 µg/g	ND	0.00354/0.01072	PASS



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // MAY 19, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.17016/0.59359	PASS
ACETONE	5000 µg/g	< LOQ	19.15315/59.35892	PASS
ACETONITRILE	410 µg/g	ND	16.99644/59.35892	PASS
BENZENE	1 µg/g	ND	0.07519/0.59359	PASS
BUTANE	5000 µg/g	68.735	17.92244/59.35892	PASS
CHLOROFORM	1 µg/g	ND	0.17412/0.59359	PASS
ETHANOL	5000 µg/g	149.057	14.69331/59.35892	PASS
ETHYL ACETATE	5000 µg/g	< LOQ	18.14404/59.35892	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.18995/0.59359	PASS
ETHYL ETHER	5000 µg/g	ND	15.98338/59.35892	PASS
HEPTANE	5000 µg/g	ND	13.98496/59.35892	PASS
HEXANE	290 µg/g	ND	21.53146/98.93154	PASS
ISOPROPYL ALCOHOL	5000 µg/g	ND	14.83973/59.35892	PASS
METHANOL	3000 µg/g	ND	13.30827/59.35892	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.15038/0.59359	PASS
PENTANE	5000 µg/g	ND	32.72655/98.93154	PASS
PROPANE	5000 µg/g	ND	16.90938/59.35892	PASS
TOLUENE	890 µg/g	ND	9.34309/59.35892	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07915/0.59359	PASS
O-XYLENE		ND	4.42422/29.67946	N/A
P- AND M-XYLENE		ND	4.09972/29.67946	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // MAY 18, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	0.096	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

ACCREDITATIONS



A2LA ACCREDITED

- BCL-020: HEAVY METAL TESTING BY ICP-MS
- BCL-03: CANNABINOID POTENCY BY HPLC-UV
- BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI
- BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // MAY 17, 2023

ANALYTE	LIMIT AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND PASS
MOLD	25 %	ND PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // MAY 19, 2023

ANALYTE	LIMIT AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND PASS
SALMONELLA SPP.	Any amt in 1 gram	ND PASS
SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // MAY 21, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.97/5.96	N/A
AFLATOXIN B2		ND	1.32/3.99	N/A
AFLATOXIN G1		ND	1.6/4.86	N/A
AFLATOXIN G2		ND	1.46/4.44	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	1.35/4.08	PASS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

