

# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: JUL 24, 2023

SAMPLE: TROPICANA CHERRY MT5705 (EXTRACT) // CLIENT: ABSTRAX LABS LONG BEACH // BATCH: PASS



BATCH NO.: NAN  
 MATRIX: EXTRACT  
 CATEGORY: INHALABLE  
 SAMPLE ID: BCL-230721-044  
 COLLECTED ON: JUL 21, 2023  
 RECEIVED ON: JUL 21, 2023  
 SAMPLE SIZE: 8 UNITS

## CANNABINOID OVERVIEW

TOTAL THC:	54.95617 %
TOTAL CBD:	0.39517 %
SUM OF CANNABINOIDS†:	68.92037 %



## BCL-03: CANNABINOID POTENCY BY HPLC-UV // JUL 23, 2023

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.59651 %	5.9651 mg/g	0.02184/0.49643	N/A
CBCA	0.74782 %	7.4782 mg/g	0.06255/0.49643	N/A
CBD	0.18437 %	1.8437 mg/g	0.03078/0.49643	N/A
CBDA	0.24037 %	2.4037 mg/g	0.01589/0.49643	N/A
CBDV	ND	ND	0.02383/0.49643	N/A
CBDVA	ND	ND	0.01589/0.49643	N/A
CBG	3.82873 %	38.2873 mg/g	0.02879/0.49643	N/A
CBGA	4.87460 %	48.7460 mg/g	0.01986/0.49643	N/A
CBN	0.13056 %	1.3056 mg/g	0.01589/0.49643	N/A
Δ <sup>8</sup> -THC	ND	ND	0.05759/0.49643	N/A
Δ <sup>9</sup> -THC	36.64932 %	366.4932 mg/g	0.0417/0.49643	N/A
THCA	20.87440 %	208.7440 mg/g	0.02979/0.49643	N/A
THCV	0.39585 %	3.9585 mg/g	0.03276/0.49643	N/A
THCVA	0.39784 %	3.9784 mg/g	0.02284/0.49643	N/A
TOT THC**	54.95617 %	549.5617 mg/g		N/A
TOT CBD**	0.39517 %	3.9517 mg/g		N/A

## TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ( )	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHENE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ <sup>3</sup> -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE*	NT	NT		N/A
β-OCIMENE*	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAJOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE*	NT	NT		N/A

\*\* TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)  
 \*\* TOTAL CBD = CBD + (CBDA X 0.877)  
 † SUM OF CANNABINOIDS = CBC + CBCA + CBD + CBDA + CBDV + CBDVA + CBG + CBGA + CBN + DELTA-8-THC + DELTA-9-THC + THCA + THCV + THCVA

\* BEYOND SCOPE OF ACCREDITATION

SAMPLE WAS TESTED AS RECEIVED. THE RESULTS RELATE ONLY TO THE ITEMS TESTED. ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. ALL DECISION RULES ARE ESTABLISHED BY THE DCC.

RESULTS CERTIFIED BY: DZOANA KLISARA, B.SC.  
 LABORATORY DIRECTOR, BELCOSTA LABS  
 JUL 24, 2023

*Dzoana Klisara*



**BCL-13: PESTICIDE TESTING BY GC/MS // JUL 23, 2023**

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.0313/0.0948	PASS
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.01107/0.03356	N/A
CHLORDANE TRANS		ND	0.01059/0.03202	N/A
CHLORFENAPYR	Any amt	ND	0.02386/0.07225	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORPYRIFOS	Any amt	ND	0.01113/0.0338	PASS
DICHLORVOS	Any amt	ND	0.01172/0.03553	PASS
METHYL PARATHION	Any amt	ND	0.01345/0.04077	PASS
PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01399/0.04243	PASS

**BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // JUL 23, 2023**

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0244/0.07393	PASS
ACEPHATE	0.1 µg/g	ND	0.01224/0.0371	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.01993/0.06038	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0043/0.01302	PASS
ALDICARB	Any amt	ND	0.01219/0.03693	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00771/0.02337	PASS
BIFENAZATE	0.1 µg/g	ND	0.00373/0.01131	PASS
BIFENTHRIN	3 µg/g	ND	0.01267/0.03839	PASS
BOSCALID	0.1 µg/g	ND	0.01406/0.04261	PASS
CARBARYL	0.5 µg/g	ND	0.00615/0.01865	PASS
CARBOFURAN	Any amt	ND	0.00411/0.01246	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.01069/0.0324	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.01404/0.04256	PASS
COUMAPHOS	Any amt	ND	0.01952/0.05914	PASS
CYFLUTHRIN	2 µg/g	ND	0.1511/0.45788	PASS
CYPERMETHRIN	1 µg/g	ND	0.02284/0.06921	PASS
DAMINOZIDE	Any amt	ND	0.0237/0.07182	PASS
DIAZINON	0.1 µg/g	ND	0.0027/0.00818	PASS
DIMETHOATE	Any amt	ND	0.00353/0.01069	PASS
DIMETHOMORPH	2 µg/g	ND		PASS
DIMETHOMORPH I		ND	0.00554/0.01679	N/A
DIMETHOMORPH II		ND	0.00327/0.00992	N/A
ETHOPROPHOS	Any amt	ND	0.00632/0.01914	PASS
ETOFENPROX	Any amt	ND	0.00604/0.01831	PASS
ETOXAZOLE	0.1 µg/g	ND	0.00363/0.01099	PASS
FENHEXAMID	0.1 µg/g	ND	0.01344/0.04073	PASS
FENOXYCARB	Any amt	ND	0.0047/0.01423	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.00277/0.0084	PASS
FIPRONIL	Any amt	ND	0.00678/0.02054	PASS
FLONICAMID	0.1 µg/g	ND	0.0046/0.01393	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.03245/0.09834	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00409/0.01238	PASS
IMAZALIL	Any amt	ND	0.012/0.03637	PASS
IMIDACLOPRID	5 µg/g	ND	0.00796/0.02411	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00989/0.02997	PASS
MALATHION	0.5 µg/g	0.0564	0.00701/0.02124	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
METALAXYL	2 µg/g	ND	0.0058/0.01757	PASS
METHIOCARB	Any amt	ND	0.00885/0.02681	PASS
METHOMYL	1 µg/g	ND	0.00837/0.02537	PASS
MEVINPHOS	Any amt	ND		PASS
MEVINPHOS I		ND	0.001/0.00303	N/A
MEVINPHOS II		ND	0.00529/0.01603	N/A
MYCLOBUTANIL	0.1 µg/g	ND	0.01719/0.0521	PASS
NALED	0.1 µg/g	ND	0.01059/0.0321	PASS
OXAMYL	0.5 µg/g	ND	0.00617/0.01869	PASS
PACLOBUTRAZOL	Any amt	ND	0.01076/0.03262	PASS
PERMETHRIN	0.5 µg/g	ND		PASS
PERMETHRIN CIS		ND	0.00993/0.03008	N/A
PERMETHRIN TRANS		ND	0.01265/0.03833	N/A
PHOSMET	0.1 µg/g	ND	0.00601/0.01822	PASS
PIPERONYLBUTOXIDE	3 µg/g	ND	0.00261/0.00791	PASS
PRALLETHRIN	0.1 µg/g	ND	0.00989/0.02996	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.00577/0.01747	PASS
PROPOXUR	Any amt	ND	0.00593/0.01798	PASS
PYRETHRINS	0.5 µg/g	ND		PASS
PYRETHRINS PYRETHRIN I		ND	0.00435/0.01318	N/A
PYRETHRINS PYRETHRIN II		ND	0.00386/0.01169	N/A
PYRIDABEN	0.1 µg/g	ND	0.00388/0.01176	PASS
SPINETORAM	0.1 µg/g	ND		PASS
SPINETORAM J		ND	0.00694/0.02103	N/A
SPINETORAM L		ND	0.00902/0.02734	N/A
SPINOSAD	0.1 µg/g	ND		PASS
SPINOSAD A		ND	0.00799/0.02422	N/A
SPINOSAD D		ND	0.00275/0.00834	N/A
SPIROMESIFEN	0.1 µg/g	ND	0.00693/0.021	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.00537/0.01627	PASS
SPIROXAMINE	Any amt	ND	0.00549/0.01663	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.00874/0.02647	PASS
THIACLOPRID	Any amt	ND	0.00458/0.01389	PASS
THIAMETHOXAM	5 µg/g	ND	0.00395/0.01196	PASS
TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00354/0.01072	PASS



**BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // JUL 24, 2023**

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.16545/0.57715	PASS
ACETONE	5000 µg/g	< LOQ	18.62255/57.71451	PASS
ACETONITRILE	410 µg/g	ND	16.52559/57.71451	PASS
BENZENE	1 µg/g	< LOQ	0.07311/0.57715	PASS
BUTANE	5000 µg/g	268.027	17.42593/57.71451	PASS
CHLOROFORM	1 µg/g	ND	0.1693/0.57715	PASS
ETHANOL	5000 µg/g	144.828	14.28626/57.71451	PASS
ETHYL ACETATE	5000 µg/g	ND	17.6414/57.71451	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.18469/0.57715	PASS
ETHYL ETHER	5000 µg/g	ND	15.54059/57.71451	PASS
HEPTANE	5000 µg/g	ND	13.59754/57.71451	PASS
HEXANE	290 µg/g	ND	20.93497/96.19084	PASS
ISOPROPYL ALCOHOL	5000 µg/g	< LOQ	14.42863/57.71451	PASS
METHANOL	3000 µg/g	ND	12.93959/57.71451	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.14621/0.57715	PASS
PENTANE	5000 µg/g	ND	31.81993/96.19084	PASS
PROPANE	5000 µg/g	ND	16.44094/57.71451	PASS
TOLUENE	890 µg/g	ND	9.08426/57.71451	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07695/0.57715	PASS
O-XYLENE		ND	4.30165/28.85725	N/A
P- AND M-XYLENE		ND	3.98615/28.85725	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

**BCL-020: HEAVY METAL TESTING BY ICP-MS // JUL 22, 2023**

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	ND	0.0001/0.01	PASS

**ACCREDITATIONS**



**A2LA ACCREDITED**

- BCL-020: HEAVY METAL TESTING BY ICP-MS
- BCL-03: CANNABINOID POTENCY BY HPLC-UV
- BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI
- BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR

**BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // JUL 21, 2023**

ANALYTE	LIMIT AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND PASS
MOLD	25 %	ND PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND PASS

**BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // JUL 23, 2023**

ANALYTE	LIMIT AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND PASS
SALMONELLA SPP.	Any amt in 1 gram	ND PASS
SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND PASS

**BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // JUL 23, 2023**

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.97/5.96	N/A
AFLATOXIN B2		ND	1.32/3.99	N/A
AFLATOXIN G1		ND	1.6/4.86	N/A
AFLATOXIN G2		ND	1.46/4.44	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	1.35/4.08	PASS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

